

Model 400 Backflow Preventer

Conversion Chart



| | 2-1/2, 3" 450 | 2-1/2, 3" 475 |
|---------------------------------------|--------------------------------------|----------------------------------|
| #1 Poppet | RK212-350CK1 (retainer included) | RK212-375CK1 (retainer included) |
| #2 Poppet | RK212-350CK2 (retainer included) | RK212-350CK2 (retainer included) |
| By-Pass Assy | | |
| Control Unit / Cover | RK212-350-COVERPLATE (031N included) | RK212-RV-ASSY (032N included) |
| O-Ring CU / Cover | 031N | 032N |
| Pitot Tube Assy / Sensing Line | | RK212-RV375-HOSE |
| Plug | 558-7 | |
| Elbow and acc. | | |
| Tag | T450 | T475 |

| | 4" 450 | 4" 475 | 4" 450DA | 4" 475DA |
|---------------------------------------|---|---|---|---|
| #1 Poppet | RK4-350CK1 (retainer included) | RK4-375CK1 (retainer included) | RK4-350CK1 (retainer included) | RK4-375CK1 (retainer included) |
| #2 Poppet | RK4-350CK2 (retainer included) | RK4-350CK2 (retainer included) | RK4-350CK2 (retainer included) | RK4-350CK2 (retainer included) |
| By-Pass Assy | | | RK4-450DA-BP-LM | RK4-475DA-BP-LM |
| Meter | | | 557-54XL (STANDARD GPM) | 557-54XL (STANDARD GPM) |
| Control Unit / Cover | RK212-450-COVERPLATE (032N included) | RK212-RV-ASSY (032N included) | RK212-450-COVERPLATE (032N included) | RK212-RV475-ASSY (032N included) |
| O-Ring CU / Cover | 032N | 032N | 032N | 032N |
| Pitot Tube Assy / Sensing Line | | RK4-475-TUBE-ASSY | | RK4-475-TUBE-ASSY |
| Plug | 558-7 | | 558-7 | |
| Elbow and acc. | | 4707-52XL-010F, 554-11A (2ea.), 032N | | 4707-52XL-010F, 554-11A (2ea.), 032N |
| Tag | T450 | T475 | T450DA | T475DA |
| Gate Valve | | | OS&Y, PI, BG | OS&Y, PI, BG |

Check with local authority having jurisdiction before performing field conversions.

Model 400 Backflow Preventer

Conversion Chart



| | 6" 450 | 6" 475 | 6" 450DA | 6" 475DA |
|---------------------------------------|---|---|---|---|
| #1 Poppet | RK6-350CK1 (retainer included) | RK6-375CK1 (retainer included) | RK6-350CK1 (retainer included) | RK6-375CK1 (retainer included) |
| #2 Poppet | RK6-350CK2 (retainer included) | RK6-350CK2 (retainer included) | RK6-350CK2 (retainer included) | RK6-350CK2 (retainer included) |
| By-Pass Assy | | | RK6-450DA-BP-LM | RK6-475DA-BP-LM |
| Meter | | | 557-54XL (STANDARD GPM) | 557-54XL (STANDARD GPM) |
| Control Unit / Cover | RK212-450-COVERPLATE (032N included) | RK212-RV-ASSY (032N included) | RK212-450-COVERPLATE (032N included) | RK212-RV475-ASSY (032N included) |
| O-Ring CU / Cover | 032N | 032N | 032N | 032N |
| Pitot Tube Assy / Sensing Line | | RK4-475-TUBE-ASSY | | RK4-475-TUBE-ASSY |
| Plug | 558-7 | | 558-7 | |
| Elbow and acc. | | 4707-52XL-010F, 554-11A (2ea.), 032N | | 4707-52XL-010F, 554-11A (2ea.), 032N |
| Tag | T450 | T475 | T450DA | T475DA |
| Gate Valve | | | OS&Y, PI, BG | OS&Y, PI, BG |

| | 8" 450 | 8" 475 | 8" 450DA | 8" 475DA |
|---------------------------------------|---------------------------------------|--|---------------------------------------|--|
| #1 Poppet | RK8-350CK1 (retainer included) | RK8-375CK1 (retainer included) | RK8-350CK1 (retainer included) | RK8-375CK1 (retainer included) |
| #2 Poppet | RK8-350CK2 (retainer included) | RK8-350CK2 (retainer included) | RK8-450DACK2 (retainer included) | RK8-450DACK2 (retainer included) |
| By-Pass Assy | | | RK8-450DA-BP-LM | RK8-475DA-BP-LM |
| Meter | | | 557-54XL (STANDARD GPM) | 557-54XL (STANDARD GPM) |
| Control Unit / Cover | RK8-350-COVERPLATE (142N included) | RK8-RV475-ASSY (142N included) | RK8-350-COVERPLATE (142N included) | RK8-RV-ASSY (142N included) |
| O-Ring CU / Cover | 142N | 142N | 142N | 142N |
| Pitot Tube Assy / Sensing Line | | RK4-475-TUBE-ASSY | | RK4-475-TUBE-ASSY |
| Plug | 558-7 | | 558-7 | |
| Elbow and acc. | | 4711-52XL-010F, 957-11 (2ea.), 142N | | 4711-52XL-010F, 957-11 (2ea.), 142N |
| Tag | T450 | T475 | T450DA | T475DA |
| Gate Valve | | | OS&Y, PI, BG | OS&Y, PI, BG |

Model 400 Backflow Preventer

Conversion Chart



| | 10" 450 | 10" 475 | 10" 450DA | 10" 475DA |
|---------------------------------------|---------------------------------------|--|---------------------------------------|--|
| #1 Poppet | RK8-350CK1 (retainer included) | RK8-375CK1 (retainer included) | RK8-350CK1 (retainer included) | RK8375CK1 (retainer included) |
| #2 Poppet | RK8-350CK2 (retainer included) | RK8-350CK2 (retainer included) | RK8-450DACK2 (retainer included) | RK8-450DACK2 (retainer included) |
| By-Pass Assy | | | RK8-450DA-BP-LM | RK8-475DA-BP-LM |
| Meter | | | 557-54XL (STANDARD GPM) | 557-54XL (STANDARD GPM) |
| Control Unit / Cover | RK8-350-COVERPLATE (142N included) | RK8-RV475-ASSY (142N included) | RK8-350-COVERPLATE (142N included) | RK8-RV-ASSY (142N included) |
| O-Ring CU / Cover | 142N | 142N | 142N | 142N |
| Pitot Tube Assy / Sensing Line | | RK4-475-TUBE-ASSY | | RK4-475-TUBE-ASSY |
| Plug | 558-7 | | 558-7 | |
| Elbow and acc. | | 4711-52XL-010F, 957-11 (2ea.), 142N | | 4711-52XL-010F, 957-11 (2ea.), 142N |
| Tag | T450 | T475 | T450DA OS&Y, PI, BG | T475DA OS&Y, PI, BG |

Check with local authority having jurisdiction before performing field conversions.