


AquaVantage [®] AV	Model	
TAG		

Exposed Z6000AV-TP Model with Trap Primer for Water Closets



Flow O	ptions
--------	--------

-WS1 1.6 Gal. Low Consumption Flush

-FFStandard Flush3.5 Gallons Per Flush

Suffix Options (Check/Specify Appropriate Options)

-BG BioCare Handle
-H Handle on Front of Flush Valve
-L 1" [25] Metal Push Button
-L3 3" [76] Metal Push Button
-YJ Split Ring Pipe Support
-YK Solid Ring Pipe Support

_____ -YO Bumper on Angle Stop

Other

	Α		В	
Product No.	ln.	MM	ln.	ММ
Z6000AV-TP	11 1/2	292	7 1/8	181
Z6000AV-1-TP	16	406	11 3/8	289
Z6000AV-2-TP	24	610		
Z6000AV-3-TP	27	686		
Longer Lengths As	Speified			

ENGINEERING SPECIFICATION: ZURN Z6000AV-TP AquaVantage® 'AV' Exposed Closet Flush Valve With Trap Primer- Exposed, quiet diaphragm-type, chrome plated flushometer valve with a polished exterior. Complete with Zurn's AquaVantage® TPE, chloramine resistant, dual seal diaphragm with a clog resistant, triple filtered by-pass. Valve is ADA compliant with a non-hold open and no leak handle feature, high back pressure vacuum breaker, trap primer assembly, one piece hex coupling nut, adjustable tailpiece, spud coupling and flange for top spud connection. Control stop has internal siphon-guard protection, vandal resistant stop cap, sweat solder kit, and a cast wall flange with set screw. Internal seals are made of chloramine resistant materials. Note: Check local codes for minimum height requirements for trap primer assembly rough-in.

This space is for Architectural/engineering Approval

ZURN INDUSTRIES, INC. ◆ COMMERCIAL BRASS OPERATION ◆ 5900 ELWIN BUCHANAN DRIVE ◆ SANFORD NC 27330

Phone: 1-800-997-3876 ◆ Fax: 919-775-3541 ◆ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED → 3544 Nashua Drive → Mississauga, Ontario L4V1L2 → Phone: 905-405-8272 Fax: 905-405-1292

Dwg. No. 59057