

# Model 300 Backflow Preventer

## Conversion Chart



	2-1/2, 3" 350	2-1/2, 3" 375	2-1/2, 3" 350DA	2-1/2, 3" 375DA
<b>#1 Poppet</b>	RK4-350CK1 (retainer included)	RK4-375CK1 (retainer included)	RK212-350CK1 (retainer included)	RK212-375CK1 (retainer included)
<b>#2 Poppet</b>	RK4-350CK2 (retainer included)	RK4-350CK2 (retainer included)	RK212-350DACK2 (retainer included)	RK212-350DACK2 (retainer included)
<b>By-Pass Assy</b>			RK212-350DA-BP-LM	RK212-375DA-BP-LM
<b>Meter</b>			557-54XL (STANDARD GPM)	557-54XL (STANDARD GPM)
<b>Control Unit / Cover</b>	RK212-350-COVERPLATE (031N included)	RK212-RV-ASSY (032N included)	RK212-350-COVERPLATE (031N included)	RK212-RV-ASSY (032N included)
<b>O-Ring CU / Cover</b>	031N	032N	031N	032N
<b>Pitot Tube Assy / Sensing Line</b>		RK212-RV375A-HOSE		RK212-RV375-HOSE
<b>Plug</b>	558-7		558-7	
<b>Tag</b>	T350 or T350A	T375 or T375A	T350DA or T350ADA	T375DA or T375ADA
<b>Gate Valve</b>			OS&Y, PI, BG	OS&Y, PI, BG

	4" 350	4" 375	4" 350DA	4" 375DA
<b>#1 Poppet</b>	RK4-350CK1 (retainer included)	RK4-375CK1 (retainer included)	RK4-350CK1 (retainer included)	RK4-375CK1 (retainer included)
<b>#2 Poppet</b>	RK4-350CK2 (retainer included)	RK4-350CK2 (retainer included)	RK4-350CK2 (retainer included)	RK4-350CK2 (retainer included)
<b>By-Pass Assy</b>			RK4-350DA-BP-LM	RK4-375DA-BP-LM
<b>Meter</b>			557-54XL (STANDARD GPM)	557-54XL (STANDARD GPM)
<b>Control Unit / Cover</b>	RK212-350-COVERPLATE (031N included)	RK212-RV-ASSY (032N included)	RK212-350-COVERPLATE (031N included)	RK212-RV-ASSY (032N included)
<b>O-Ring CU / Cover</b>	031N	032N	031N	032N
<b>Pitot Tube Assy / Sensing Line</b>		RK212-RV375A-HOSE		RK212-RV375-HOSE
<b>Plug</b>	558-7		558-7	
<b>Tag</b>	T350 or T350A	T375 or T375A	T350DA or T350ADA	T375DA or T375ADA
<b>Gate Valve</b>			OS&Y, PI, BG	OS&Y, PI, BG

Check with local authority having jurisdiction before performing field conversions.

Note: use 4" conversions for 2-1/2" and 3" "A" bodies.

# Model 300 Backflow Preventer

## Conversion Chart



	6" 350	6" 375	6" 350DA	6" 375DA
<b>#1 Poppet</b>	RK6-350CK1 (retainer included)	RK6-375CK1 (retainer included)	RK6-350CK1 (retainer included)	RK6-375CK1 (retainer included)
<b>#2 Poppet</b>	RK6-350CK2 (retainer included)	RK6-350CK2 (retainer included)	RK6-350CK2 (retainer included)	RK6-350CK2 (retainer included)
<b>By-Pass Assy</b>			RK6-350DA-BP-LM	RK6-375DA-BP-LM
<b>Meter</b>			557-54XL (STANDARD GPM)	557-54XL (STANDARD GPM)
<b>Control Unit / Cover</b>	RK212-350-COVERPLATE (O31N included)	RK212-RV-ASSY (O32N included)	RK212-350-COVERPLATE (O31N included)	RK212-RV-ASSY (O32N included)
<b>O-Ring CU / Cover</b>	O31N	O32N	O31N	O32N
<b>Pitot Tube Assy / Sensing Line</b>		RK6-RV375-HOSE		RK6-RV375-HOSE
<b>Plug</b>	558-7		558-7	
<b>Tag</b>	T350 or T350A	T375 or T375A	T350DA or T350ADA	T375DA or T375ADA
<b>Gate Valve</b>			OS&Y, PI, BG	OS&Y, PI, BG

	8" 350	8" 375	8" 350DA	8" 375DA
<b>#1 Poppet</b>	RK8-350CK1 (retainer included)	RK8-375CK1 (retainer included)	RK8-350CK1 (retainer included)	RK8-375CK1 (retainer included)
<b>#2 Poppet</b>	RK8-350CK2 (retainer included)	RK8-350CK2 (retainer included)	RK8-350DACK2 (retainer included)	RK8-450DACK2 (retainer included)
<b>By-Pass Assy</b>			RK8-350DA-BP-LM	RK8-375DA-BP-LM
<b>Meter</b>			557-54XL (STANDARD GPM)	557-54XL (STANDARD GPM)
<b>Control Unit / Cover</b>	RK8-350-COVERPLATE (142N included)	RK8-RV-ASSY (142N included)	RK8-350-COVERPLATE (142N included)	RK8-RV-ASSY (142N included)
<b>O-Ring CU / Cover</b>	142N	142N	142N	142N
<b>Pitot Tube Assy / Sensing Line</b>		RK8-RV375-HOSE		RK8-RV375-HOSE
<b>Plug</b>	558-7		558-7	
<b>Tag</b>	T350 or T350A	T375 or T375A	T350DA or T350ADA	T375DA or T375ADA
<b>Gate Valve</b>			OS&Y, PI, BG	OS&Y, PI, BG

Check with local authority having jurisdiction before performing field conversions.

# Model 300 Backflow Preventer

## Conversion Chart



	10" 350	10" 375	10" 350DA	10" 375DA
<b>#1 Poppet</b>	RK8-350CK1 (retainer included)	RK8-375CK1 (retainer included)	RK8-350CK1 (retainer included)	RK212-375CK1 (retainer included)
<b>#2 Poppet</b>	RK8-350CK2 (retainer included)	RK8-350CK2 (retainer included)	RK8-350DACK2 (retainer included)	RK212-350DACK2 (retainer included)
<b>By-Pass Assy</b>			RK8-350DA-BP-LM	RK8-375DA-BP-LM
<b>Meter</b>			557-54XL (STANDARD GPM)	557-54XL (STANDARD GPM)
<b>Control Unit / Cover</b>	RK8-350-COVERPLATE (142N included)	RK8-RV-ASSY (142N included)	RK8-350-COVERPLATE (142N included)	RK8-RV-ASSY (142N included)
<b>O-Ring CU / Cover</b>	142N	142N	142N	142N
<b>Pitot Tube Assy / Sensing Line</b>		RK8-RV375-HOSE		RK8-RV375-HOSE
<b>Plug</b>	558-7		558-7	
<b>Tag</b>	T350	T375	T350DA	T375DA
<b>Gate Valve</b>			OS&Y, PI, BG	OS&Y, PI, BG

	12" 350	12" 350DA
<b>#1 Poppet</b>	RK8-350CK1 (retainer included)	RK12IN-350DACK1 (retainer included)
<b>#2 Poppet</b>	RK8-350CK2 (retainer included)	RK12IN-350DACK2 (retainer included)
<b>By-Pass Assy</b>		RK12IN-350DA-BP-LM
<b>Meter</b>		557-54XL (STANDARD GPM)
<b>Control Unit / Cover</b>	RK8-350-COVERPLATE (142N included)	RK8-350-COVERPLATE (142N included)
<b>O-Ring CU / Cover</b>	142N	142N
<b>Plug</b>	558-7	558-7
<b>Tag</b>	T350	T350DA
<b>Gate Valve</b>		OS&Y

Check with local authority having jurisdiction before performing field conversions.